L Number	Hits	Search Text	DB	Time stamp
-	32510	(stand adj by or stand$1by) same power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 19:54
-	1477	((stand adj by or stand$1by) same power) same address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 19:55
-	1	("6163823").PN.	USPAT	2004/08/16 19:47
-	25470	(stand adj by or stand$1by) with power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 19:54
-	1005	((stand adj by or stand$1by) with power) same address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 19:54
-	1498	((stand adj by or stand$1by or sleep or "off") adj3 (mode or state)) same address same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 19:26
-	578	(((stand adj by or stand$1by or sleep or "off") adj3 (mode or state)) same address same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)) same power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:52
-	222	(((stand adj by or stand$1by) with power) same address) same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 19:46
-	35	172.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:53
-	30	172.ab,ti. not ((((stand adj by or stand$1by) with power) same address) same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:01

		402	((((stand adj by or stand$1by or sleep or "off") adj3 (mode or state)) same address same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)) same power) not ((((stand adj by or stand$1by) with power) same address) same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)) not (172.ab,ti. not ((((stand adj by or stand$1by) with power) same address) same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 17:11
		7	303284.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:01
		574	(sequential$1y or serial$1y or selectively) near4 (power$3) same address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:21
		87	179.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:15
		1	5389556.pn.	USPAT	2004/08/17 18:15
		842	(sequential$1y or serial$1y or selectively) with (power$3) with address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:22
		291	(sequential$1y or serial$1y or selectively) near5 (power$3) with address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:54
		236	((sequential$1y or serial$1y or selectively) near5 (power$3) with address) not 179.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:23
		656	(sequential$1y or serial$1y or selectively) near5 (power$3) same address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 19:34

-	101	185.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:54
-	14	185.ab,ti. not 179.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:54
-	68	((sequential$1y or serial$1y or selectively) near5 (power$3) same address) same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 19:26
-	33	(((sequential$1y or serial$1y or selectively) near5 (power$3) same address) same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)) not 185.ab,ti. not (((sequential$1y or serial$1y or selectively) near5 (power$3) with address) not 179.ab,ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 19:33
-	20	(one adj one) near5 (power$3) same address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 19:36
-	851	(((individual$3 or separate or separat$2ly) near3 power$3) same address$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 19:47
-	130	((((individual$3 or separate or separat$2ly) near3 power$3) same address$2)) same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 19:47